

The HUS & JUS hanger series offers double shear nailing. USP's patented dimple allows for 30° to 45° nailing through the joist into the header resulting in higher loads and less nailing. Slant nailing also eliminates the need for shorter joist nails in 2x applications.

**Materials:** JUS - 18 gauge; HUS - 14 or 16 gauge

**Finish:** G90 galvanizing; JUS24-GC, JUS26-GC, JUS210-GC, JUS26-2GC, & JUS210-2GC – Gold Coat


**Options:** HUS26, HUS28, HUS210, HUS28-2IF, & HUS210-2IF, JUS24, JUS26, JUS26-2, JUS28, JUS28-2, JUS210, JUS210-2, JUS44, JUS46, JUS48, JUS410, JUS414, JUS28-3, & JUS210-3 are available in Triple Zinc. To order, add TZ to stock number, as in **JUS24-TZ**. JUS24, JUS26, JUS26-2, JUS28, JUS210, and JUS210-2 are available in Stainless Steel. To order, add SS to stock number, as in **JUS26-SS**. See HUS Specialty Options Chart.

**Codes:** NER 608, NER 510, ICBO 2039, ICBO 5356, L.A. City RR 25327, FL818, FL821, **Dade County, FL 06-0605.10** — JUS (2) 2x, 3x, & 4x models **except:** JUS214-2, JUS414, & JUS214-3, **Dade County, FL 06-0601.03** — JUS 2x models

**Patents:** #5,217,317

### Installation:

- Use all specified fasteners. See Product Notes, page 16.
- Joist nails must be driven at a 30° to 45° angle through the joist or truss into the header to achieve listed loads. **Standard length “double shear” nails must be used to achieve listed load values.**
- JUS - 16d sinkers (9 gauge x 3 1/4”) may be used where 10d commons are specified with no load reduction.




Double shear nail design features fewer nails and faster installation


Uses standard length nails

**HUS Specialty Options Chart** – refer to Specialty Options pages 206 to 209 for additional details.


Option	Inverted Flange
Range	Not available in widths less than 2-1/4”.
Allowable Loads	100% of table load. 65% of table load when nailing into the support members end grain.
Ordering	Add IF to product number. Ex. HUS410IF




Typical **JUS46** installation




**JUS28**



**HUS28-2**




Typical **HUS46** installation



Typical **HUS410IF** inverted flange installation

Joist Size	USP Stock No.	Ref. No.	Steel Gauge	Dimensions				Fastener Schedule <sup>2,3,4</sup>		Allowable Loads (Lbs.)					
				W	H	D	A	Header	Joist	DF-L / SP					
										Floor	Roof		Uplift <sup>1</sup>		
				100%	115%	125%	133%	160%							
2 x 4	JL24	LU24	20	1-9/16	3	1-1/2	15/16	(4) 10d (4) 16d	(2) 10d x 1-1/2	455 545	525 625	570 680	245	245	
	JRSSS	LU24-18	18	1-9/16	3	1-1/2	15/16	(4) 10d (4) 16d	(2) 10d x 1-1/2	455 550	525 630	570 685	245	245	
	JUS24	LUS24	18	1-9/16	3-1/8	1-3/4	1	(4) 10d	(2) 10d	655	750	815	510	510	
	JUS24-GC	---	---	---	---	---	---	(4) N10C-GC	(2) N10C-GC	655	750	815	510	510	
	SP24	---	---	18	1-9/16	3	1-1/2	7/8	(4) 16d	(2) prongs	550	630	685	---	---
	SUH24	U24	16	1-9/16	3-1/4	2	1-3/16	(4) 10d (4) 16d	(2) 10d x 1-1/2	465 550	535 635	580 690	300	360	
HD26	HU26	14	1-9/16	3-1/2	2	1-1/8	(4) 16d	(2) 10d x 1-1/2	560	645	700	290	290		
2 x 6	JL26	LU26	20	1-9/16	4-3/4	1-1/2	15/16	(6) 10d (6) 16d	(4) 10d x 1-1/2	685 815	785 940	855 1020	485	485	
	SP24	---	18	1-9/16	3	1-1/2	7/8	(4) 16d	(2) prongs	550	630	685	---	---	
	JRSS	LU26-18	18	1-9/16	4-3/4	1-1/2	15/16	(6) 10d (6) 16d	(4) 10d x 1-1/2	685 820	785 940	855 940	485	485	
	SP26	---	18	1-9/16	4-5/8	2	1-3/16	(6) 16d	(4) prongs	820	945	1030	---	---	
	JUS26	LUS26	18	1-9/16	4-13/16	1-3/4	1	(4) 10d	(4) 10d	850	975	1060	1115	1115	
	JUS26-GC	---	---	---	---	---	---	(4) N10C-GC	(4) N10C-GC	850	975	1060	1115	1115	
	SUH26	U26	16	1-9/16	5-1/8	2	1-3/16	(6) 10d (6) 16d	(4) 10d x 1-1/2	695 830	800 950	870 1035	605	725	
	HUS26	HUS26	16	1-5/8	5-7/16	3	2	(14) 16d	(6) 16d	2635	3035	3295	1925	1925	
	JSS	---	14	1-9/16	5	1-5/8	1-1/4	(10) 16d	(4) 8d x 1-1/2	1420	1635	1775	535	640	
	HD26	HU26	14	1-9/16	3-1/2	2	1-1/8	(4) 16d	(2) 10d x 1-1/2	560	645	700	290	290	
	HD28	HU28	14	1-9/16	5-1/4	2	1-1/8	(8) 16d	(4) 10d x 1-1/2	1120	1290	1400	610	730	
	2 x 8	JL26	LU26	20	1-9/16	4-3/4	1-1/2	15/16	(6) 10d (6) 16d	(4) 10d x 1-1/2	685 815	785 940	855 1020	485	485
JL28		LU28	20	1-9/16	6-3/8	1-1/2	15/16	(10) 10d (10) 16d	(6) 10d x 1-1/2	1140 1360	1295 1565	1295 1700	885	885	
JRSS		LU26-18	18	1-9/16	4-3/4	1-1/2	15/16	(6) 10d (6) 16d	(4) 10d x 1-1/2	685 820	785 940	855 940	485	485	
SP26		---	18	1-9/16	4-5/8	2	1-3/16	(6) 16d	(4) prongs	820	945	1030	---	---	
JUS26		LUS26	18	1-9/16	4-13/16	1-3/4	1	(4) 10d	(4) 10d	850	975	1060	1115	1115	
JUS26-GC		---	---	---	---	---	---	(4) N10C-GC	(4) N10C-GC	850	975	1060	1115	1115	
SP28		---	18	1-9/16	7	2	1-3/16	(8) 16d	(6) prongs	1095	1260	1370	---	---	
JRS		---	18	1-9/16	6-3/8	1-1/2	15/16	(10) 10d (10) 16d	(6) 10d x 1-1/2	1140 1370	1310 1575	1425 1600	885	885	
JUS28		LUS28	18	1-9/16	6-5/8	1-3/4	1	(6) 10d	(4) 10d	1075	1240	1345	1115	1115	
SUH26		U26	16	1-9/16	5-1/8	2	1-3/16	(6) 10d (6) 16d	(4) 10d x 1-1/2	695 830	800 950	870 1035	605	725	
SUH28		---	16	1-9/16	6-5/8	2	1-3/16	(8) 10d (8) 16d	(6) 10d x 1-1/2	930 1105	1065 1270	1160 1380	800	800	
HUS26		HUS26	16	1-5/8	5-7/16	3	2	(14) 16d	(6) 16d	2635	3035	3295	1925	1925	
HUS28		HUS28	16	1-5/8	7-3/16	3	2	(22) 16d	(8) 16d	3915	4080	4195	2570	2570	
HD28		HU28	14	1-9/16	5-1/4	2	1-1/8	(8) 16d	(4) 10d x 1-1/2	1120	1290	1400	610	730	
HD210		HU210	14	1-9/16	7-3/16	2	1-1/8	(12) 16d	(4) 10d x 1-1/2	1680	1930	2100	610	730	
2 x 10		JL28	LU28	20	1-9/16	6-3/8	1-1/2	15/16	(10) 10d (10) 16d	(6) 10d x 1-1/2	1140 1360	1295 1565	1295 1700	885	885
	JL210	LU210	20	1-9/16	8-1/4	1-1/2	15/16	(14) 10d (14) 16d	(8) 10d x 1-1/2	1595 1905	1835 1965	1875 1965	1095	1095	
	SP26	---	18	1-9/16	4-5/8	2	1-3/16	(6) 16d	(4) prongs	820	945	1030	---	---	
	JUS28	LUS28	18	1-9/16	6-5/8	1-3/4	1	(6) 10d	(4) 10d	1075	1240	1345	1115	1115	
	SP28	---	18	1-9/16	7	2	1-3/16	(8) 16d	(6) prongs	1095	1260	1370	---	---	
	JRS	---	18	1-9/16	6-3/8	1-1/2	15/16	(10) 10d (10) 16d	(6) 10d x 1-1/2	1140 1370	1310 1575	1425 1600	885	885	
	JUS210	LUS210	18	1-9/16	7-3/4	1-3/4	1	(8) 10d	(4) 10d	1305	1500	1630	1115	1115	
	JUS210-GC	---	---	---	---	---	---	(8) N10C-GC	(4) N10C-GC	1305	1500	1630	1115	1115	
	SP210	---	18	1-9/16	8-3/16	2	1-3/16	(10) 16d	(6) prongs	1370	1400	1400	---	---	
	JRSX	LU210-18	18	1-9/16	8-1/4	1-1/2	15/16	(14) 10d (14) 16d	(8) 10d x 1-1/2	1595 1735	1735 1735	1735 1735	1095	1095	
	SUH28	---	16	1-9/16	6-5/8	2	1-3/16	(8) 10d (8) 16d	(6) 10d x 1-1/2	930 1105	1065 1270	1160 1380	800	800	
	SUH210	U210	16	1-9/16	8	2	1-3/16	(10) 10d (10) 16d	(6) 10d x 1-1/2	1160 1380	1335 1585	1450 1725	905	1085	
	HUS28	HUS28	16	1-5/8	7-3/16	3	2	(22) 16d	(8) 16d	3915	4080	4195	2570	2570	
	HUS210	HUS210	16	1-5/8	9-3/16	3	2	(30) 16d	(10) 16d	4195	4400	4540	3205	3205	
	HD210	HU210	14	1-9/16	7-3/16	2	1-1/8	(12) 16d	(4) 10d x 1-1/2	1680	1930	2100	610	730	

- 1) Uplift loads have been increased 33-1/3% or 60% for wind or seismic loads; no further increase shall be permitted.
  - 2) 10d x 1-1/2 nails are 9 gauge (0.148" diameter) by 1-1/2" long.
  - 3) Minimum nail embedment shall be 1-1/2" for 10d and N10C-GC nails; 1-5/8" for 16d and N16C-GC nails.
  - 4) 16d sinkers (9 gauge x 3-1/4" long) may be used at 0.84 of the table load where 16d commons are specified.
  - 5) For JUS and HUS hangers: Nails must be driven at a 30° to 45° angle through the joist or truss into the header to achieve the table loads.
- New products or updated product information are designated in red.



# FACE MOUNT HANGER CHARTS CONTINUED



© Copyright 2007 USP Structural Connectors®


Joist Size	USP Stock No.	Ref. No.	Steel Gauge	Dimensions				Fastener Schedule <sup>2,3,4</sup>		Allowable Loads (Lbs.)				
				W	H	D	A	Header	Joist	DF-L / SP				
										Floor	Roof		Uplift <sup>1</sup>	
									100%	115%	125%	133%	160%	
2 x 12	JL210	LU210	20	1-9/16	8-1/4	1-1/2	15/16	(14) 10d (14) 16d	(8) 10d x 1-1/2	1595 1905	1835 1965	1875 1965	1095	1095
	JUS210	LUS210	18	1-9/16	7-3/4	1-3/4	1	(8) 10d	(4) 10d	1305	1500	1630	1115	1115
	JUS210-GC	---						(8) N10C-GC	(4) N10C-GC	1095	1260	1370	---	---
	SP28	---	18	1-9/16	7	2	1-3/16	(8) 16d	(6) prongs	1370	1400	1400	---	---
	SP210	---	18	1-9/16	8-3/16	2	1-3/16	(10) 16d	(6) prongs	1595	1735	1735	1095	1095
	JRSX	LU210-18	18	1-9/16	8-1/4	1-1/2	15/16	(14) 10d (14) 16d	(8) 10d x 1-1/2	1160	1335	1450	905	1085
	SUH210	U210	16	1-9/16	8	2	1-3/16	(10) 10d (10) 16d	(6) 10d x 1-1/2	1380	1585	1725	905	1085
	HUS210	HUS210	16	1-5/8	9-3/16	3	2	(30) 16d	(10) 16d	4195	4400	4540	3205	3205
	HD210	HU210	14	1-9/16	7-3/16	2	1-1/8	(12) 16d	(4) 10d x 1-1/2	1680	1930	2100	610	730
	HD212	HU212	14	1-9/16	9-1/4	2	1-1/8	(16) 16d	(6) 10d x 1-1/2	2240	2575	2730	910	1065
2 x 14	JL210	LU210	20	1-9/16	8-1/4	1-1/2	15/16	(14) 10d (14) 16d	(8) 10d x 1-1/2	1595 1905	1835 1965	1875 1965	1095	1095
	SP210	---	18	1-9/16	8-3/16	2	1-3/16	(10) 16d	(6) prongs	1370	1400	1400	---	---
	JRSX	LU210-18	18	1-9/16	8-1/4	1-1/2	15/16	(14) 10d (14) 16d	(8) 10d x 1-1/2	1595 1735	1735 1735	1735 1735	1095	1095
	SUH210	U210	16	1-9/16	8	2	1-3/16	(10) 10d (10) 16d	(6) 10d x 1-1/2	1160 1380	1335 1585	1450 1725	905	1085
	SUH214	U214	16	1-9/16	10	2	1	(12) 10d (12) 16d	(8) 10d x 1-1/2	1390 1655	1600 1905	1740 2070	1205	1330
	HD212	HU212	14	1-9/16	9-1/4	2	1-1/8	(16) 16d	(6) 10d x 1-1/2	2240	2575	2730	910	1065
	HD214	HU214	14	1-9/16	11-1/2	2	1-1/8	(20) 16d	(6) 10d x 1-1/2	2560	2660	2730	910	1065
	2 x 16	SUH214	U214	16	1-9/16	10	2	1	(12) 10d (12) 16d	(8) 10d x 1-1/2	1390 1655	1600 1905	1740 2070	1205
HD212		HU212	14	1-9/16	9-1/4	2	1-1/8	(16) 16d	(6) 10d x 1-1/2	2240	2575	2730	910	1065
HD214		HU214	14	1-9/16	11-1/2	2	1-1/8	(20) 16d	(6) 10d x 1-1/2	2560	2660	2730	910	1065
(2) 2 x 4	JUS24-2	LUS24-2	18	3-1/8	3-7/16	2	1	(4) 16d	(2) 16d	785	900	965	325	325
	SUH24-2	U24-2	16	3-1/8	3-1/8	2	1-1/8	(6) 10d (6) 16d	(2) 10d	695 830	800 950	870 1035	310	370
	HD24-2	HU24-2	14	3-1/8	3-1/2	2-1/2	1-1/8	(4) 16d	(2) 10d	560	645	700	315	320
	HUS24-2	---	14	3-1/8	3-7/16	2	1	(4) 16d	(2) 16d	795	915	995	495	495
(2) 2 x 6	JUS26-2	LUS26-2	18	3-1/8	5-1/4	2	1	(4) 16d	(4) 16d	1020	1170	1220	1355	1355
	JUS26-2GC	---						(4) N16C-GC	(4) N16C-GC	930	1065	1160	620	740
	SUH26-2	U26-2	16	3-1/8	5-1/16	2	1-1/8	(8) 10d (8) 16d	(4) 10d	1105	1270	1380	620	740
	HD24-2	HU24-2	14	3-1/8	3-1/2	2-1/2	1-1/8	(4) 16d	(2) 10d	560	645	700	315	320
	HUS24-2	---	14	3-1/8	3-7/16	2	1	(4) 16d	(2) 16d	795	915	995	495	495
	HUS26-2	HUS26-2	14	3-1/8	5-1/4	2	1	(4) 16d	(4) 16d	1030	1185	1290	1115	1115
(2) 2 x 8	JUS26-2	LUS26-2	18	3-1/8	5-1/4	2	1	(4) 16d	(4) 16d	1020	1170	1220	1355	1355
	JUS26-2GC	---						(4) N16C-GC	(4) N16C-GC	930	1065	1160	620	740
	JUS28-2	LUS28-2	18	3-1/8	7-1/8	2	1	(6) 16d	(4) 16d	1290	1485	1615	1355	1355
	SUH26-2	U26-2	16	3-1/8	5-1/16	2	1-1/8	(8) 10d (8) 16d	(4) 10d	1105 1160	1270 1335	1380 1450	620	740
	SUH28-2	---	16	3-1/8	6-1/4	2	1-1/8	(10) 10d (10) 16d	(4) 10d	1380 1625	1585 1870	1725 2030	930	1115
	HUS26-2	HUS26-2	14	3-1/8	5-1/4	2	1	(4) 16d	(4) 16d	1030	1185	1290	1115	1115
	HUS28-2	HUS28-2	14	3-1/8	7-1/8	2	1	(6) 16d	(6) 16d	1545	1775	1930	1810	1810
	HD26-2	HU26-2	14	3-1/8	5-1/8	2-1/2	1-1/8	(12) 16d	(6) 10d	1680	1930	2095	945	1135
	HD28-2	HU28-2	14	3-1/8	7-1/8	2-1/2	1-1/8	(14) 16d	(6) 10d	1960	2255	2450	945	1135
	JUS28-2	LUS28-2	18	3-1/8	7-1/8	2	1	(6) 16d	(4) 16d	1290	1485	1615	1355	1355
(2) 2 x 10	JUS210-2	LUS210-2	18	3-1/8	9-1/8	2	1	(8) 16d	(6) 16d	1800	2070	2250	1980	1980
	JUS210-2GC	---						(8) N16C-GC	(6) N16C-GC	1160	1335	1450	620	740
	SUH28-2	---	16	3-1/8	6-1/4	2	1-1/8	(10) 10d (10) 16d	(4) 10d	1380 1625	1585 1870	1725 2030	930	1115
	SUH210-2	U210-2	16	3-1/8	8-9/16	2	1-1/8	(14) 16d	(6) 10d	1930	2220	2415	930	1115
	HUS28-2	HUS28-2	14	3-1/8	7-1/8	2	1	(6) 16d	(6) 16d	1545	1775	1930	1810	1810
	HD28-2	HU28-2	14	3-1/8	7-1/8	2-1/2	1-1/8	(14) 16d	(6) 10d	1960	2255	2450	945	1135
	HUS210-2	HUS210-2	14	3-1/8	9-1/8	2	1	(8) 16d	(8) 16d	2060	2370	2575	2210	2210
	HD210-2	HU210-2	14	3-1/8	9	2-1/2	1-1/8	(18) 16d	(10) 10d	2520	2900	3150	1575	1890

Hangers

continued on next page

Joist Size	USP Stock No.	Ref. No.	Steel Gauge	Dimensions				Fastener Schedule <sup>2,3,4</sup>		Allowable Loads (Lbs.)				
				W	H	D	A	Header	Joist	DF-L / SP				
										Floor	Roof		Uplift <sup>1</sup>	
100%	115%	125%	133%	160%										
(2) 2 x 12	JUS210-2	LUS210-2	18	3-1/8	9-1/8	2	1	(8) 16d	(6) 16d	1800	2070	2250	1980	1980
	JUS210-2GC	---	18	3-1/8	11-1/8	2	1	(8) N16C-GC	(6) N16C-GC	2075	2385	2595	1980	1980
	JUS212-2	---	18	3-1/8	11-1/8	2	1	(10) 16d	(6) 16d	1625	1870	2030	930	1115
	SUH210-2	U210-2	16	3-1/8	8-9/16	2	1-1/8	(14) 10d	(6) 10d	1930	2220	2415		
	HUS210-2	HUS210-2	14	3-1/8	9-1/8	2	1	(8) 16d	(8) 16d	2060	2370	2575	2210	2210
	HD210-2	HU210-2	14	3-1/8	9	2-1/2	1-1/8	(18) 16d	(10) 10d	2520	2900	3150	1575	1890
	HUS212-2	HUS212-2	14	3-1/8	11-1/8	2	1	(10) 16d	(10) 16d	2575	2960	3220	3060	3060
(2) 2 x 14	HD212-2	HU212-2	14	3-1/8	11	2-1/2	1-1/8	(22) 16d	(10) 10d	3080	3540	3850	1575	1890
	JUS210-2	LUS210-2	18	3-1/8	9-1/8	2	1	(8) 16d	(6) 16d	1800	2070	2250	1980	1980
	JUS212-2	---	18	3-1/8	11-1/8	2	1	(10) 16d	(6) 16d	2075	2385	2595	1980	1980
	JUS214-2	LUS214-2	18	3-1/8	13-1/8	2	1	(6) 16d	(6) 16d	2350	2700	2935	1980	1980
	SUH210-2	U210-2	16	3-1/8	8-9/16	2	1-1/8	(14) 10d	(6) 10d	1625	1870	2030	930	1115
								(14) 16d		1930	2220	2415		
	SUH214-2	---	16	3-1/8	10-1/4	2	1-1/8	(16) 10d	(6) 10d	1855	2135	2320	930	1115
								(16) 16d		2210	2540	2760		
	HD210-2	HU210-2	14	3-1/8	9	2-1/2	1-1/8	(18) 16d	(10) 10d	2520	2900	3150	1575	1890
	HUS212-2	HUS212-2	14	3-1/8	11-1/8	2	1	(10) 16d	(10) 16d	2575	2960	3220	3060	3060
	HD212-2	HU212-2	14	3-1/8	11	2-1/2	1-1/8	(22) 16d	(10) 10d	3080	3540	3850	1575	1890
(2) 2 x 16	HUS214-2	---	14	3-1/8	13-1/8	2	1	(12) 16d	(12) 16d	3090	3555	3865	3060	3060
	HD214-2	HU214-2	14	3-1/8	13	2-1/2	1-1/8	(24) 16d	(10) 10d	3360	3865	4200	1575	1890
	JUS214-2	LUS214-2	18	3-1/8	13-1/8	2	1	(12) 16d	(6) 16d	2350	2700	2935	1980	1980
	SUH214-2	---	16	3-1/8	10-1/4	2	1-1/8	(16) 10d	(6) 10d	1855	2135	2320	930	1115
								(16) 16d		2210	2540	2760		
	HD212-2	HU212-2	14	3-1/8	11	2-1/2	1-1/8	(22) 16d	(10) 10d	3080	3540	3850	1575	1890
	HUS214-2	---	14	3-1/8	13-1/8	2	1	(12) 16d	(12) 16d	3090	3555	3865	3060	3060
	HD214-2	HU214-2	14	3-1/8	13	2-1/2	1-1/8	(24) 16d	(10) 10d	3360	3865	4200	1575	1890
	HD216-2	HU216-2	14	3-1/8	15	2-1/2	1-1/8	(26) 16d	(12) 10d	3640	4185	4550	1890	2265
	3 x 4	SUH34	U34	16	2-9/16	3-3/8	2	1-1/8	(6) 10d	(2) 10d x 1-1/2	695	800	850	300
HD34		HU34	14	2-9/16	3	2	1-1/8	(4) 16d	(2) 10d x 1-1/2	830	850	850		
3 x 6	JUS36	LUS36	18	2-9/16	5-5/16	2	1	(4) 16d	(4) 16d	1020	1170	1220	1355	1355
	SUH34	U34	16	2-9/16	3-3/8	2	1-1/8	(6) 10d	(2) 10d x 1-1/2	695	800	850	300	360
								(6) 16d		830	850	850		
	SUH36	U36	16	2-9/16	5-5/16	2	1-1/8	(8) 10d	(4) 10d x 1-1/2	930	1065	1160	605	725
								(8) 16d		1105	1270	1380		
3 x 8	HD36	HU36	14	2-9/16	4-3/4	2	1-1/8	(8) 16d	(4) 10d x 1-1/2	1120	1290	1400	610	730
	JUS38	---	18	2-9/16	6-3/4	2	1	(6) 16d	(4) 16d	1290	1485	1615	1355	1355
	SUH36	U36	16	2-9/16	5-5/16	2	1-1/8	(8) 10d	(4) 10d x 1-1/2	930	1065	1160	605	725
								(8) 16d		1105	1270	1380		
	HD36	HU36	14	2-9/16	4-3/4	2	1-1/8	(8) 16d	(4) 10d x 1-1/2	1120	1290	1400	610	730
3 x 10	HD38	HU38	14	2-9/16	6-3/4	2	1-1/8	(12) 16d	(4) 10d x 1-1/2	1680	1930	2100	610	730
	JUS310	LUS310	18	2-9/16	9-1/8	2	1	(8) 16d	(6) 16d	1800	2070	2250	1980	1980
	SUH310	U310	16	2-9/16	8-7/8	2	1-1/8	(14) 10d	(6) 10d x 1-1/2	1625	1870	2030	905	1085
								(14) 16d		1930	2220	2415		
	HD38	HU38	14	2-9/16	6-3/4	2	1-1/8	(12) 16d	(4) 10d x 1-1/2	1680	1930	2100	610	730
3 x 12	HD310	HU310	14	2-9/16	7-7/16	2-1/2	1-1/8	(14) 16d	(6) 10d x 1-1/2	1960	2255	2450	910	1065
	SUH310	U310	16	2-9/16	8-7/8	2	1-1/8	(14) 10d	(6) 10d x 1-1/2	1625	1870	2030	905	1085
								(14) 16d		1930	2220	2415		
	HD310	HU310	14	2-9/16	7-7/16	2-1/2	1-1/8	(14) 16d	(6) 10d x 1-1/2	1960	2255	2450	910	1065
	HD312	HU312	14	2-9/16	9-5/16	2-1/2	1-1/8	(16) 16d	(10) 10d x 1-1/2	2240	2575	2800	1065	1065
3 x 14	SUH314	U314	16	2-9/16	10-9/16	2	1	(16) 10d	(6) 10d x 1-1/2	1855	2135	2320	905	1085
								(16) 16d		2210	2505	2505		
	HD310	HU310	14	2-9/16	7-7/16	2-1/2	1-1/8	(14) 16d	(6) 10d x 1-1/2	1960	2255	2450	910	1065
	HD312	HU312	14	2-9/16	9-5/16	2-1/2	1-1/8	(16) 16d	(10) 10d x 1-1/2	2240	2575	2800	1065	1065
3 x 16	HD314	HU314	14	2-9/16	11-5/16	2-1/2	1-1/8	(20) 16d	(10) 10d x 1-1/2	2800	3220	3500	1065	1065
	SUH314	U314	16	2-9/16	10-9/16	2	1	(16) 10d	(6) 10d x 1-1/2	1855	2135	2320	905	1085
								(16) 16d		2210	2505	2505		
	HD312	HU312	14	2-9/16	9-5/16	2-1/2	1-1/8	(16) 16d	(10) 10d x 1-1/2	2240	2575	2800	1065	1065
	HD314	HU314	14	2-9/16	11-5/16	2-1/2	1-1/8	(20) 16d	(10) 10d x 1-1/2	2800	3220	3500	1065	1065
(2) 3 x 8	HD316	HU316	14	2-9/16	13-5/16	2-1/2	1-1/8	(24) 16d	(10) 10d x 1-1/2	3360	3865	4200	1065	1065
	HD38-2	---	14	5-1/8	6-1/8	2-1/2	1-1/8	(14) 16d	(6) 10d	1960	2255	2450	945	1135

- Uplift loads have been increased 33-1/3% or 60% for wind or seismic loads; no further increase shall be permitted.
  - 10d x 1-1/2 nails are 9 gauge (0.148" diameter) by 1-1/2" long.
  - Minimum nail embedment shall be 1-1/2" for 10d and N10C-GC nails; 1-5/8" for 16d and N16C-GC nails.
  - 16d sinkers (9 gauge x 3-1/4" long) may be used at 0.84 of the table load where 16d commons are specified.
  - For JUS and HUS hangers: Nails must be driven at a 30° to 45° angle through the joist or truss into the header to achieve the table loads.
- New products or updated product information are designated in red.



continued on next page

# FACE MOUNT HANGER CHARTS CONTINUED



© Copyright 2007 USP Structural Connectors®

Joist Size	USP Stock No.	Ref. No.	Steel Gauge	Dimensions				Fastener Schedule <sup>2,3,4</sup>		Allowable Loads (Lbs.)				
				W	H	D	A	Header	Joist	DF-L / SP				
										100%	Roof		Uplift <sup>1</sup>	
												115%	125%	133%
(2) 3 x 10	SUH310-2	--	16	5-1/8	9	2	1	(14) 10d	(6) 10d	1625	1870	2030	930	1115
								(14) 16d		1930	2220	2415		
	HD38-2	--	14	5-1/8	6-1/8	2-1/2	1-1/8	(14) 16d	(6) 10d	1960	2255	2450	945	1135
	HD310-2	--	14	5-1/8	8	2-1/2	1-1/8	(18) 16d	(10) 10d	2520	2900	3150	1575	1890
(2) 3 x 12	SUH310-2	--	16	5-1/8	9	2	1	(14) 10d	(6) 10d	1625	1870	2030	930	1115
								(14) 16d		1930	2220	2415		
	HD310-2	--	14	5-1/8	8	2-1/2	1-1/8	(18) 16d	(10) 10d	2520	2900	3150	1575	1890
	HD312-2	--	14	5-1/8	10	2-1/2	1-1/8	(22) 16d	(10) 10d	3080	3540	3850	1575	1890
(2) 3 x 14	HD310-2	--	14	5-1/8	8	2-1/2	1-1/8	(18) 16d	(10) 10d	2520	2900	3150	1575	1890
(2) 3 x 16	HD312-2	--	14	5-1/8	10	2-1/2	1-1/8	(22) 16d	(10) 10d	3080	3540	3850	1575	1890
(3) 2 x 4	JUS24-3	---	18	4-5/8	2-3/4	2	1	(4) 16d	(2) 16d	785	900	965	325	325
	HUS24-3	---	14	4-5/8	3-11/16	2	1	(4) 16d	(2) 16d	795	915	995	495	495
(3) 2 x 6	JUS26-3	LUS26-3	18	4-5/8	4-1/2	2	1	(4) 16d	(4) 16d	1020	1170	1220	1355	1355
	SUH26-3	U26-3	16	4-5/8	5-1/4	2	1	(8) 10d	(2) 10d	930	1065	1160	310	370
								(8) 16d		1105	1270	1380		
	HUS24-3	---	14	4-5/8	3-11/16	2	1	(4) 16d	(2) 16d	795	915	995	495	495
	HUS26-3	---	14	4-5/8	4-1/2	2	1	(4) 16d	(4) 16d	1030	1185	1290	1115	1115
HD26-3	HU26-3	14	4-5/8	4-3/8	2-1/2	1-1/8	(12) 16d	(6) 10d	1680	1930	2095	945	1135	
(3) 2 x 8	JUS26-3	LUS26-3	18	4-5/8	4-1/2	2	1	(4) 16d	(4) 16d	1020	1170	1220	1355	1355
	JUS28-3	LUS28-3	18	4-5/8	6-3/8	2	1	(6) 16d	(4) 16d	1290	1485	1615	1355	1355
	SUH26-3	U26-3	16	4-5/8	5-1/4	2	1	(8) 10d	(2) 10d	930	1065	1160	310	370
								(8) 16d		1105	1270	1380		
	SUH28-3	---	16	4-5/8	7-1/8	3	1	(10) 10d	(6) 10d	1160	1335	1450	885	885
								(10) 16d		1380	1585	1725		
	HUS26-3	---	14	4-5/8	4-1/2	2	1	(4) 16d	(4) 16d	1030	1185	1290	1115	1115
	HUS28-3	---	14	4-5/8	6-3/8	2	1	(6) 16d	(6) 16d	1545	1775	1930	1810	1810
	HD26-3	HU26-3	14	4-5/8	4-3/8	2-1/2	1-1/8	(12) 16d	(6) 10d	1680	1930	2095	945	1135
HD28-3	---	14	4-5/8	6-3/8	2-1/2	1-1/8	(12) 16d	(6) 10d	1680	1930	2100	945	1135	
JUS28-3	LUS28-3	18	4-5/8	6-3/8	2	1	(6) 16d	(4) 16d	1290	1485	1615	1355	1355	
(3) 2 x 10	JUS210-3	LUS210-3	18	4-5/8	8-3/8	2	1	(8) 16d	(6) 16d	1800	2070	2250	1980	1980
	SUH28-3	---	16	4-5/8	7-1/8	3	1	(10) 10d	(6) 10d	1160	1335	1450	885	885
								(10) 16d		1380	1585	1725		
	SUH210-3	U210-3	16	4-5/8	8-3/8	2	1	(14) 10d	(6) 10d	1625	1870	2030	930	1115
								(14) 16d		1930	2220	2415		
	HUS28-3	---	14	4-5/8	6-3/8	2	1	(6) 16d	(6) 16d	1545	1775	1930	1810	1810
	HD28-3	---	14	4-5/8	6-3/8	2-1/2	1-1/8	(12) 16d	(6) 10d	1680	1930	2100	945	1135
	HUS210-3	---	14	4-5/8	8-3/8	2	1	(8) 16d	(8) 16d	2060	2370	2575	2210	2210
HD210-3	HU210-3	14	4-5/8	8-1/4	2-1/2	1-1/8	(12) 16d	(12) 10d	2520	2900	3150	1890	2265	
(3) 2 x 12	JUS210-3	LUS210-3	18	4-5/8	8-3/8	2	1	(8) 16d	(6) 16d	1800	2070	2250	1980	1980
	JUS212-3	---	18	4-5/8	10-3/8	2	1	(10) 16d	(6) 16d	2075	2385	2595	1980	1980
	SUH210-3	U210-3	16	4-5/8	8-3/8	2	1	(14) 10d	(6) 10d	1625	1870	2030	930	1115
								(14) 16d		1930	2220	2415		
	HUS210-3	---	14	4-5/8	8-3/8	2	1	(8) 16d	(8) 16d	2060	2370	2575	2210	2210
HUS212-3	---	14	4-5/8	10-3/8	2	1	(10) 16d	(10) 16d	2575	2960	3220	3060	3060	
HD212-3	HU212-3	14	4-5/8	10-1/4	2-1/2	1-1/8	(22) 16d	(10) 10d	3080	3540	3850	1575	1890	
(3) 2 x 14	JUS210-3	LUS210-3	18	4-5/8	8-3/8	2	1	(8) 16d	(6) 16d	1800	2070	2250	1980	1980
	JUS212-3	---	18	4-5/8	10-3/8	2	1	(10) 16d	(6) 16d	2075	2385	2595	1980	1980
	JUS214-3	---	18	4-5/8	12-3/8	2	1	(12) 16d	(6) 16d	2350	2700	2935	1980	1980
	SUH210-3	U210-3	16	4-5/8	8-3/8	2	1	(14) 10d	(6) 10d	1625	1870	2030	930	1115
								(14) 16d		1930	2220	2415		
	HD210-3	HU210-3	14	4-5/8	8-1/4	2-1/2	1-1/8	(18) 16d	(12) 10d	2520	2900	3150	1890	2265
	HUS212-3	---	14	4-5/8	10-3/8	2	1	(10) 16d	(10) 16d	2575	2960	3220	3060	3060
HD212-3	HU212-3	14	4-5/8	10-1/4	2-1/2	1-1/8	(22) 16d	(10) 10d	3080	3540	3850	1575	1890	
HUS214-3	---	14	4-5/8	12-3/8	2	1	(12) 16d	(12) 16d	3090	3555	3865	3060	3060	
(3) 2 x 16	HD214-3	HU214-3	14	4-5/8	12-1/4	2-1/2	1-1/8	(24) 16d	(10) 10d	3360	3865	4200	1575	1890
	JUS214-3	---	18	4-5/8	12-3/8	2	1	(12) 16d	(6) 16d	2350	2700	2935	1980	1980
	HD212-3	HU212-3	14	4-5/8	10-1/4	2-1/2	1-1/8	(22) 16d	(10) 10d	3080	3540	3850	1575	1890
	HUS214-3	---	14	4-5/8	12-3/8	2	1	(12) 16d	(12) 16d	3090	3555	3865	3060	3060
	HD216-3	HU216-3	14	4-5/8	14-1/4	2-1/2	1-1/8	(26) 16d	(12) 10d	3640	4185	4550	1890	2265
(4) 2 x 10	HD210-4	---	14	6-1/8	9	3-1/4	2	(24) 16d	(6) 10d	3360	3865	4200	1120	1345
(4) 2 x 12	HD210-4	---	14	6-1/8	9	3-1/4	2	(24) 16d	(6) 10d	3360	3865	4200	1120	1345
(4) 2 x 14	HD210-4	---	14	6-1/8	9	3-1/4	2	(24) 16d	(6) 10d	3360	3865	4200	1120	1345

Hangers

continued on next page

Joist Size	USP Stock No.	Ref. No.	Steel Gauge	Dimensions				Fastener Schedule <sup>2,3,4</sup>		Allowable Loads (Lbs.)				
				W	H	D	A	Header	Joist	DF-L / SP				
										Floor 100%	Roof 115% 125%		Uplift <sup>1</sup> 133% 160%	
4 x 4	JUS44	LUS44	18	3-5/8	3-1/4	2	1	(4) 16d	(2) 16d	785	900	965	325	325
	SUH44	U44	16	3-9/16	2-7/8	2	1-1/8	(6) 10d	(2) 10d	695	800	870	310	370
								(6) 16d		830	950	1035		
	HD44	HU44	14	3-9/16	3-5/16	2-1/2	1-1/8	(4) 16d	(2) 10d	560	645	700	315	320
HUS44	--	14	3-5/8	3-3/16	2	1	(4) 16d	(2) 16d	795	915	995	495	495	
4 x 6	JUS46	LUS46	18	3-5/8	5	2	1	(4) 16d	(4) 16d	1020	1170	1220	1355	1355
	SUH44	U44	16	3-9/16	2-7/8	2	1-1/8	(6) 10d	(2) 10d	695	800	870	310	370
								(6) 16d		830	950	1035		
	SUH46	U46	16	3-9/16	4-13/16	2	1-1/8	(8) 10d	(4) 10d	930	1065	1160	620	740
								(8) 16d		1105	1270	1380		
	HUS44	--	14	3-5/8	3-3/16	2	1	(4) 16d	(2) 16d	795	915	995	495	495
HUS46	HUS46	14	3-5/8	5	2	1	(4) 16d	(4) 16d	1030	1185	1290	1115	1115	
HD46	HU46	14	3-9/16	4-15/16	2-1/2	1-1/8	(12) 16d	(6) 10d	1680	1930	2095	945	1135	
4 x 8	JUS46	LUS46	18	3-5/8	5	2	1	(4) 16d	(4) 16d	1020	1170	1220	1355	1355
	JUS48	LUS48	18	3-5/8	6-7/8	2	1	(6) 16d	(4) 16d	1290	1485	1615	1355	1355
	SUH46	U46	16	3-9/16	4-13/16	2	1-1/8	(8) 10d	(4) 10d	930	1065	1160	620	740
								(8) 16d		1105	1270	1380		
	SUH48	--	16	3-9/16	6-1/16	2	1-1/8	(10) 10d	(4) 10d	1160	1335	1450	620	740
								(10) 16d		1380	1585	1725		
	HUS46	HUS46	14	3-5/8	5	2	1	(4) 16d	(4) 16d	1030	1185	1290	1115	1115
	HUS48	HUS48	14	3-5/8	7	2	1	(6) 16d	(6) 16d	1545	1775	1930	1810	1810
	HD46	HU46	14	3-9/16	4-15/16	2-1/2	1-1/8	(12) 16d	(6) 10d	1680	1930	2095	945	1135
	HD48	HU48	14	3-9/16	6-7/8	2-1/2	1-1/8	(14) 16d	(6) 10d	1960	2255	2450	945	1135
4 x 10	JUS48	LUS48	18	3-5/8	6-7/8	2	1	(6) 16d	(4) 16d	1290	1485	1615	1355	1355
	JUS410	LUS410	18	3-5/8	8-7/8	2	1	(8) 16d	(6) 16d	1800	2070	2250	1980	1980
	SUH48	--	16	3-9/16	6-1/16	2	1-1/8	(10) 10d	(4) 10d	1160	1335	1450	620	740
								(10) 16d		1380	1585	1725		
	SUH410	U410	16	3-9/16	8-3/8	2	1-1/8	(14) 10d	(6) 10d	1625	1870	2030	930	1115
								(14) 16d		1930	2220	2415		
	HUS48	HUS48	14	3-5/8	7	2	1	(6) 16d	(6) 16d	1545	1775	1930	1810	1810
	HD48	HU48	14	3-9/16	6-7/8	2-1/2	1-1/8	(14) 16d	(6) 10d	1960	2255	2450	945	1135
	HUS410	HUS410	14	3-5/8	8-7/8	2	1	(8) 16d	(8) 16d	2060	2370	2575	2210	2210
	HD410	HU410	14	3-9/16	8-13/16	2-1/2	1-1/8	(18) 16d	(10) 10d	2520	2900	3150	1575	1890
4 x 12	JUS410	LUS410	18	3-5/8	8-7/8	2	1	(8) 16d	(6) 16d	1800	2070	2250	1980	1980
	JUS412	--	18	3-5/8	10-7/8	2	1	(10) 16d	(6) 16d	2075	2385	2595	1980	1980
	SUH410	U410	16	3-9/16	8-3/8	2	1-1/8	(14) 10d	(6) 10d	1625	1870	2030	930	1115
								(14) 16d		1930	2220	2415		
	HD48	HU48	14	3-9/16	6-7/8	2-1/2	1-1/8	(14) 16d	(6) 10d	1960	2255	2450	945	1135
	HUS410	HUS410	14	3-5/8	8-7/8	2	1	(8) 16d	(8) 16d	2060	2370	2575	2210	2210
	HD410	HU410	14	3-9/16	8-13/16	2-1/2	1-1/8	(18) 16d	(10) 10d	2520	2900	3150	1575	1890
	HUS412	HUS412	14	3-5/8	10-7/8	2	1	(10) 16d	(10) 16d	2575	2960	3220	3060	3060
	HD412	HU412	14	3-9/16	10-13/16	2-1/2	1-1/8	(22) 16d	(10) 10d	3080	3540	3850	1575	1890
	4 x 14	JUS412	--	18	3-5/8	10-7/8	2	1	(10) 16d	(6) 16d	2075	2385	2595	1980
JUS414		LUS414	18	3-5/8	12-7/8	2	1	(12) 16d	(6) 16d	2350	2700	2935	1980	1980
SUH414		U414	16	3-9/16	10-1/16	2	1-1/8	(16) 10d	(6) 10d	1855	2135	2320	930	1115
								(16) 16d		2210	2540	2760		
HD410		HU410	14	3-9/16	8-13/16	2-1/2	1-1/8	(18) 16d	(10) 10d	2520	2900	3150	1575	1890
HUS412		HUS412	14	3-5/8	10-7/8	2	1	(10) 16d	(10) 16d	2575	2960	3220	3060	3060
HUS414	--	14	3-5/8	12-7/8	2	1	(12) 16d	(12) 16d	3090	3555	3865	3060	3060	
HD414	HU414	14	3-9/16	12-13/16	2-1/2	1-1/8	(24) 16d	(10) 10d	3360	3865	4200	1575	1890	

1) Uplift loads have been increased 33-1/3% or 60% for wind or seismic loads; no further increase shall be permitted.  
2) 10d x 1-1/2 nails are 9 gauge (0.148" diameter) by 1-1/2" long.  
3) Minimum nail embedment shall be 1-1/2" for 10d nails and 1-5/8" for 16d nails.  
4) 16d sinkers (9 gauge x 3-1/4" long) may be used at 0.84 of the table load where 16d commons are specified.  
5) For JUS and HUS hangers: Nails must be driven at a 30° to 45° angle through the joist or truss into the header to achieve the table loads.


# FACE MOUNT HANGER CHARTS CONTINUED



© Copyright 2007 USP Structural Connectors®

Joist Size	USP Stock No.	Ref. No.	Steel Gauge	Dimensions				Fastener Schedule <sup>2,3,4</sup>		Allowable Loads (Lbs.)					
				W	H	D	A	Header	Joist	DF-L / SP					
										Floor		Roof		Uplift <sup>1</sup>	
										100%	115%	125%	133%	160%	
4 x 16	JUS414	LUS414	18	3-5/8	12-7/8	2	1	(12) 16d	(6) 16d	2350	2700	2935	1980	1980	
	SUH414	U414	16	3-9/16	10-1/16	2	1-1/8	(16) 10d	(6) 10d	1855	2135	2320	930	1115	
								(16) 16d		2210	2540	2760			
								HD412		HU412	14	3-9/16			10-13/16
	HD414	HU414	14	3-9/16	12-13/16	2-1/2	1-1/8	(24) 16d	(10) 10d	3360	3865	4200	1575	1890	
	HD416	HU416	14	3-9/16	14-13/16	2-1/2	1-1/8	(26) 16d	(12) 10d	3640	4185	4550	1890	2265	
4 x 18	HD414	HU414	14	3-9/16	12-13/16	2-1/2	1-1/8	(24) 16d	(10) 10d	3360	3865	4200	1575	1890	
	HD416	HU416	14	3-9/16	14-13/16	2-1/2	1-1/8	(26) 16d	(12) 10d	3640	4185	4550	1890	2265	
	HD418	--	14	3-9/16	16-1/2	2-1/2	1-1/4	(28) 16d	(8) 10d	3920	4510	4570	1260	1425	
6 x 6	SUH66	U66	16	5-1/2	5	2	1	(8) 10d	(4) 10d	930	1065	1160	620	740	
								(8) 16d		1105	1270	1380			
6 x 8	SUH66	U66	16	5-1/2	5	2	1	(8) 10d	(4) 10d	930	1065	1160	620	740	
								(8) 16d		1105	1270	1380			
	HD66	HU66	14	5-1/2	3-15/16	2-1/2	1-1/8	(12) 16d	(6) 10d	1680	1930	2095	945	1135	
	HD68	HU68	14	5-1/2	5-15/16	2-1/2	1-1/8	(14) 16d	(6) 10d	1960	2255	2450	945	1135	
6 x 10	SUH610	U610	16	5-1/2	9	2	1	(14) 10d	(6) 10d	1625	1870	2030	930	1115	
								(14) 16d		1930	2220	2415			
	HD68	HU68	14	5-1/2	5-15/16	2-1/2	1-1/8	(14) 16d	(6) 10d	1960	2255	2450	945	1135	
6 x 12	SUH610	U610	16	5-1/2	9	2	1	(14) 10d	(6) 10d	1625	1870	2030	930	1115	
								(14) 16d		1930	2220	2415			
	HD610	HU610	14	5-1/2	7-13/16	2-1/2	1-1/8	(18) 16d	(10) 10d	2520	2900	3150	1575	1890	
6 x 14	HD612	HU612	14	5-1/2	9-13/16	2-1/2	1-1/8	(22) 16d	(10) 10d	3080	3540	3850	1575	1890	
	HD610	HU610	14	5-1/2	7-13/16	2-1/2	1-1/8	(18) 16d	(10) 10d	2520	2900	3150	1575	1890	
	HD612	HU612	14	5-1/2	9-13/16	2-1/2	1-1/8	(22) 16d	(10) 10d	3080	3540	3850	1575	1890	
6 x 16	HD614	HU614	14	5-1/2	11-13/16	2-1/2	1-1/8	(24) 16d	(10) 10d	3360	3865	4200	1575	1890	
	HD612	HU612	14	5-1/2	9-13/16	2-1/2	1-1/8	(22) 16d	(10) 10d	3080	3540	3850	1575	1890	
	HD614	HU614	14	5-1/2	11-13/16	2-1/2	1-1/8	(24) 16d	(10) 10d	3360	3865	4200	1575	1890	
6 x 18	HD616	HU616	14	5-1/2	13-13/16	2-1/2	1-1/8	(26) 16d	(12) 10d	3640	4185	4550	1890	2265	
	HD614	HU614	14	5-1/2	11-13/16	2-1/2	1-1/8	(24) 16d	(10) 10d	3360	3865	4200	1575	1890	
	HD616	HU616	14	5-1/2	13-13/16	2-1/2	1-1/8	(26) 16d	(12) 10d	3640	4185	4550	1890	2265	
8 x 6	HD86	--	14	7-1/2	5-1/8	2-1/2	1-1/2	(10) 16d	(4) 16d	1410	1620	1740	750	900	
8 x 8	HD88	HU88	14	7-1/2	6-5/8	2-1/2	1-1/2	(14) 16d	(6) 16d	1975	2270	2470	1130	1355	
8 x 10	HD810	HU810	14	7-1/2	8-3/8	2-1/2	1-1/2	(18) 16d	(8) 16d	2540	2920	3175	1505	1805	
8 x 12	HD812	HU812	14	7-1/2	10-1/8	2-1/2	1-1/2	(22) 16d	(8) 16d	3100	3565	3880	1505	1805	
8 x 14	HD814	HU814	14	7-1/2	11-7/8	2-1/2	1-1/2	(24) 16d	(12) 16d	3385	3890	4230	2255	2705	
8 x 16	HD816	HU816	14	7-1/2	13-5/8	2-1/2	1-1/2	(26) 16d	(12) 16d	3665	4215	4585	2255	2705	

- 1) Uplift loads have been increased 33-1/3% or 60% for wind or seismic loads; no further increase shall be permitted.
- 2) 10d x 1-1/2 nails are 9 gauge (0.148" diameter) by 1-1/2" long.
- 3) Minimum nail embedment shall be 1-1/2" for 10d nails and 1-5/8" for 16d nails.
- 4) 16d sinkers (9 gauge x 3-1/4" long) may be used at 0.84 of the table load where 16d commons are specified.



Hangers

continued on next page

USP Stock No.	Triple Zinc (TZ)	Hot-Dip Galvanized (HDG)	Stainless Steel (SS)	Gold Coat (GC)
<b>Fasteners / Anchors</b>				
AB1212-HDG		X		
AB1218-HDG		X		
AB126-HDG		X		
AB128-HDG		X		
AB5817-HDG		X		
BP1		X		
BP12		X		
BP34		X		
BP58		X		
BP582		X		
BP583		X		
BP78		X		
HBPS12		X		
HBPS34		X		
LBP12-TZ	X			
LBP34-TZ	X			
LBP58-TZ	X			
LBPS12-TZ	X			
LBPS58-TZ	X			
N8-GC				X
N8C-GC				X
N10-GC				X
N10C-GC				X
N16C-GC				X
NA11		X	X	
NA16D		X		
NA20D		X		
NA21		X		
NA25		X		
NA250		X		
NA9D		X		
STB16		X		
STB20		X		
STB24		X		
STB28		X		
STB34		X		
STB36		X		
STBL16		X		
STBL20		X		
STBL24		X		
STBL28		X		
STBL34		X		
WS15-GC				X
<b>Holdowns / Foundation Anchors</b>				
FA3	X			
HPA35		X		
PA18	X			
PA23	X			
PA28	X			
PA35	X			
ST1-TZ	X			
ST2-TZ	X			
TA51	X			
TA71	X			
TDL5	X			
TDL10	X			
TDX2	X	X		
TDX6		X		
TDX8		X		
<b>Embedded Truss Anchors</b>				
H1A20	X			
HTA24	X			
TA20	X			
TA24	X			

USP Stock No.	Triple Zinc (TZ)	Hot-Dip Galvanized (HDG)	Stainless Steel (SS)	Gold Coat (GC)
<b>Stud Plate Ties</b>				
RSPT4		X		
RSPT6		X		
RSPT6-2		X		
SPT4		X		
SPT6		X		
SPT22		X		
SPT24		X		
SPTH4		X		
SPTH6		X		
<b>Column / Post Bases</b>				
CBS44		X		
CBS66		X		
CBSQ44-TZ	X			
CBSQ46-TZ	X			
CBSQ66-TZ	X			
D44	X			
D46	X			
D66	X			
EBG44	X			
EPB4408		X		
KCB44		X		
KCB46		X		
KCB48		X		
KCB66		X		
KCB68		X		
KCB88		X		
KCB1010		X		
KCB1212		X		
PA44	X			
PA44E	X			X
PA46	X			
PA46E	X			X
PA66	X			
PA66E	X			X
PAU44	X			
PAU46	X			
PAU66	X			
PAU88	X			
WAS44	X			
WAS46	X			
WAS66	X			
WE44	X			
WE46	X			
WE66	X			
<b>Column / Post Caps</b>				
C44	X			
C46	X			
C66	X			
EPCM4416	X			
EPCM4616	X			
KCC44		X		
KCC46		X		
KCC64		X		
KCC66		X		
KECC44		X		
KECC46		X		
KECC64		X		
KECC66		X		
PB44-6	X			X
PB66-6	X			X
PBC44-TZ	X			
PBC66-TZ	X			

USP Stock No.	Triple Zinc (TZ)	Hot-Dip Galvanized (HDG)	Stainless Steel (SS)	Gold Coat (GC)
<b>Column / Post Caps</b>				
PBES44		X		
PBES66		X		
PBS44		X		
PBS66		X		
PCM44		X		
PCM4416		X		
PCM46		X		
PCM4616		X		
PCM66		X		
PCM6616		X		
<b>Joist Hangers</b>				
HUS26		X		
HUS28		X		
HUS28-2IF		X		
HUS210		X		
HUS210-2IF		X		
JUS24			X	X
JUS26			X	X
JUS26-2			X	X
JUS28			X	
JUS28-2			X	
JUS28-3			X	
JUS210			X	X
JUS210-2			X	X
JUS210-3			X	
JUS44			X	
JUS46			X	
JUS48			X	
JUS410			X	
JUS414			X	
LSSH15-TZ			X	
LSSH210			X	
LSSH31			X	
SKH26R/L				X
SKH28R/L				X
SKH210R/L				X
TMU26			X	
<b>Hurricane / Seismic Anchors</b>				
HHCP2		X		
LFTA6		X		
RT3A		X		
RT4		X		X
RT5		X		X
RT7		X		X
RT7A		X		X
RT10		X		X
RT15		X		X
RT16		X		X
RT16-2		X		
RT20		X		
<b>Truss Hangers</b>				
HJH28L/R		X		
MSH418		X		
MSH422		X		
THD26		X		
THD26-2		X		
THD210-2		X		

USP Stock No.	Triple Zinc (TZ)	Hot-Dip Galvanized (HDG)	Stainless Steel (SS)	Gold Coat (GC)
<b>Framing Plates &amp; Angles</b>				
A3		X		
AC5		X		
AC7		X		X
AC9		X		X
JA1		X		
MP3		X		
MP34		X		X
MP4F		X		
MP5		X		
MP7		X		X
MP9		X		X
MPA1		X		X
MPA1F		X		X
<b>Straps</b>				
KRPS18		X		
KRPS22		X		
L6		X		X
LSTA24				X
MSTA9		X		
MSTA12		X		X
MSTA15		X		X
MSTA18		X		X
MSTA21		X		
MSTA24		X		
MSTA30		X		
MSTA36		X		
PS218-HDG			X	
PS418-HDG			X	
PS720-HDG			X	
RS150		X		
RT24F		X		
T6		X		X
<b>Twist Straps</b>				
LTW12		X		X
LTW18		X		X
LTW20				X
MTW12		X		
MTW16		X		
MTW20		X		
MTW30		X		
RT16T		X		
RT24T		X		
<b>Miscellaneous</b>				
ANJ44S		X		
DC50-TZ		X		
CSH-TZ		X		
ERB24-TZ		X		
FB14-TZ		X		
FB16-TZ		X		
FB23-TZ		X		
FB240-TZ		X		
FRB24-TZ		X		
ICPL58		X		
ICPL516-TZ		X		
PRT2-TZ		X		
SCA9-TZ		X		X
SCA10-TZ		X		X
SDJT14-TZ		X		
SDPT5-TZ		X		
SDPT7-TZ		X		